

**Central Purchase unit**  
**National Institute of Technology Srinagar-190006**  
Tel:- 0194-2424792/2429423/2424809/2424797 Fax:- 0194-2420475  
\*\*\*\*\*

No. NITS/CPU/2017/DPE/3489-95

DT: 29.11. 2017

M/S.....

**Subject: Invitation of Bids for the supply of Sports equipment for Physical Education Department.**

**Dear Sir,**

**1.** You are hereby invited to submit your most competitive Bid for the equipment with detailed Specification of these goods as give in Annexure-A. The offer is to be submitted in two bid System. Technical Bid and Price Bid separately in two envelops.

**2. Envelope- A (Technical Bid) It should contain the following;**

- (a) Detailed Technical specification of the Quoted item.
- (b) Authorization /Dealership/Manufacturer certificate.
- (c) Valid tax clearance certificate of bidders from J&K State.
- (d) Detailed Technical specification/ Literature of the goods/equipment.
- (e) Bid security @ 3% of the price quoted (Price bid) in the form of CDR (Cash Deposit Receipt) / FDR (Fixed Deposit Receipt) / TDR (Term Deposit Receipt), valid for a minimum period of 6 months; Pledged to **Chairman, Central Purchase Unit NIT Srinagar.**
- (g) Tender document attached with the Bid security value less than 3% of the quoted price will be summarily rejected after the opening of financial bid.
- (h) Tender document fee Rs. 1,000/- in the form of Demand Draft only, in favour of **Director, NIT Srinagar.** Tender without document fee shall be rejected
- (i) Certificate of Service Support after Sale.
- (j) Proof of legal status.

**3. Envelope-B (Price Bid) It should contain the following;**

- (a) Bid prices (Preferably in Indian Rupees)
- (b) Bid price should be firm for the bid validity period.
- (c) **All duties, taxes and levies (GST or any other tax) to be payable, must be quoted separately and clearly.**
- (d) **As per SRO 129 of Government of Jammu & Kashmir, the institute is Exempted from state entry tax. The Institute will provide Entry tax exemption certificate to successful bidder with supply order. The Institute is also exempted from Custom/Excise duty.**
- (e) The rate quoted should be FOR NIT Srinagar.
- (f) The rate should include the equipment installation, commissioning, and operational training to the Institute personnel.
- (g) Bid price should be without over writing; however minor over writing should be clearly signed by the bidder. In case of any discrepancy between price quoted in figures and words, the price quoted in words shall be accepted.
- (h) **The rates should be covered with transparent tape.**
- (i) Bid form in the format given in Annexure-B
- (j) Technical specification Schedule as per Annexure-C
- (k) Price bid schedule in the format enclosed in Annexure-D

**4. Validity of Bids**

Bids shall remain valid at least for 150 days from the date of opening.

**5. Evaluation of Bids**

- (a) The NIT Srinagar (Purchaser) will evaluate and compare the bids which are found substantially Responsive. i. e. which are
  - (i) Properly signed
  - (ii) Confirm to terms, conditions, and technical specifications.
  - (iii) Accompanied with tender fee, Bid security and all other documents.
- (b) No waiver for Tender fee or Bid security will be accepted. Any certificate to this effect will not be accepted.
- (c) Bids shall be evaluated separately for each item.

**6. Award of contract**

- (a) Contract shall be awarded to the bidder whose bid is commercially, technically responsive and offered at lowest evaluated price.
- (b) Successful bidder shall be notified about the award of the contract where in terms and conditions of supply shall be incorporated.

### **7. Proof of sale to other Organizations**

NIT Srinagar reserves the right to ask for the proof that, same equipment has been sold to other organizations. The bidder may be asked to produce the copy of Purchase order and Bill Invoice. The same can be verified from the organization also.

### **8. Payment**

100% payment shall be made against delivery of goods at NIT Srinagar Campus in good condition, as per specifications and successful installation/commission, and submission of performance security.

### **9. Warranty**

(a) All items shall carry comprehensive standard replacement warranty of two years or as mentioned in the tender document for that item.

### **10. Performance security**

(a) Successful Bidders shall submit performance security promptly after award of contract.

(b) Performance security shall be in the form of Bank Guarantee pledged to Chairman NIT Srinagar, for the amount as mentioned in the award of contract letter/supply order. However it shall not exceed 10% of the contract value.

### **11. Penalty for delay**

A penalty of 0.15% (fifteen paisa per hundred) per day shall be imposed if the supply is made beyond the prescribed period mentioned in supply order.

### **12. Settlement of disputes**

Settlement of any dispute will be made under the jurisdiction of Srinagar court.

### **13. Liquidated Damages**

If the bidder after accepting the purchase order of goods/equipments or services, fails to deliver any or all of the goods/equipments or to perform the services within the specified period, a penalty of 15 paisa per hundred per day shall be charged. The maximum penalty can be limited to 10% of the cost. Once maximum is reached NIT Srinagar may proceed on its own to consider the termination of the supply order.

### **14. Submission of Bids**

(a) **The last date for submission of bids is 27.12.2017 up to 2.30 P.M.**

(b) Bids should be properly sealed.

(c) The two envelopes A & B together should be kept in a separate single envelope. **“Enquiry No., due date of opening and Quotation for supply of Sports equipment for Physical Education Department,”** must be mentioned on this envelope.

(d) Bids should be addressed to Chairman Central Purchase unit NIT Srinagar.

(e) Bidders not from Srinagar shall dispatch bids sufficiently well in advance so as to reach the destination one day prior to bid opening.

### **16. Bid opening**

(a) The Technical Bid (Envelope- A) will be opened first and price Bid (Envelope-B) of the bidder will be opened after qualifying the Technical Bid (Envelope-A).

(b) Interested bidders can attend the bid opening.

**17. Notwithstanding above the purchaser reserves the right to reject any or all the bids.**

**18. We look forward for your quotation.**

Thanking you,

**Chairman  
Central Purchase unit  
NIT Srinagar**

### **Note:**

1. Before preparing your valuable bid kindly go through the document fully and take care of all the requirements.
2. Bidders from outside Srinagar may please send their Bids much in advance so that they are received in time.

## Annexure-A

### Football

<b>S N o</b>	<b>Item Name</b>	<b>Specification / Make</b>	<b>Quantity</b>	<b>Delivery Period</b>
1	Corner Flags	Quality Cloth with 4'x2' dimension	300	60 days
2	Crowd barriers	Iron Pipe Rods With Robe	330 rft	
3	Movable Goal Posts	Movable Aluminum made as per standard specification with 4'' round pipe comes along with the wheel For smooth shifting.	10	
4	Goal posts nets	Nylon 3mm machine knitted fifa standard specification.	50	
5	Team shelters	Steel make 6 seated shelter top covered.	4	
6	Foot balls	Imported PU leather Hand stitched	150	
7	Line marking machine	Line marking machine for making lines in different events 5mm thickness to spread uniformly.	5	

### Basketball

<b>S/ N</b>	<b>Item name</b>	<b>Specification / Make</b>	<b>Quantity</b>	<b>Delivery Period</b>
1	Basketball dunking ring	19 Mm steel tube with flexible spring system and back support 4mm plate	30	60 days
2	Nets	nylon 6mm	100	
3	BB Posts Movable	Movable Heavy duty steel structure with height adjustment, acrylic board 20mm, dunking ring, padding, weight cells etc	6	
4	Basketball board acrylic	20 mm Acrylic board with heavy steel angle frame 1.05*1.80 mtr	10	
5	Modular Movable Seat Arena	Modular Movable portable 62 seated arena system.	2	
6	Basketballs	Nivia /Cosco championship	150	
7	Shot clock and Game clock	Nivia	7 each	

### Badminton

<b>S/ N</b>	<b>Item name</b>	<b>Specification / Make</b>	<b>Quantity</b>	<b>Delivery Period</b>
1	Badminton rackets	Steel Body , Fibre Body/Yonex	300	60 days
2	Shuttle cocks	Plastic/Feather/Yonex	Feather (200) boxes Plastic (200) Boxes	
3	Badminton nets	Cotton made as per standard sizes	50	
4	Badminton posts	Heavy duty 2'' square steel pipe	12	

	<b>Movable</b>	<b>with 100 kg weight each side</b>		
<b>5</b>	<b>Umpire Chair</b>	<b>2”hallow steel tube with foam paddle steel</b>	<b>5</b>	
<b>6</b>	<b>Team shelters</b>	<b>Steel make 6 seated shelter top covered.</b>	<b>5</b>	

## Cricket

S/ N o	Item name	Specification / Make	Quantity	Delivery Period
<b>1</b>	<b>Cricket netting</b>	<b>2”x2” sqare nylon</b>	<b>6</b>	<b>60 days</b>
<b>2</b>	<b>Cricket mats</b>	<b>Jute 9’x66’ ft heavy duty canvas</b>	<b>4</b>	
<b>3</b>	<b>Clocks</b>	<b>Electronic</b>	<b>4</b>	
<b>4</b>	<b>Cricket Cages movable</b>	<b>Steel make movable</b>	<b>2</b>	
<b>5</b>	<b>Pitch Cover</b>	<b>Lightweight yet durable PVC flat cricket covers designed to protect match wickets and bowlers' run ups from rain.</b>	<b>4</b>	
<b>6</b>	<b>Rapid Fire Cricket rebound Nets</b>	<b>Single Sided Cricket net with adjustable angles</b>	<b>10</b>	
<b>7</b>	<b>Forza Flash POP up Fielding Goals</b>	<b>Pair of 6Ft portable goals with ideal back stop system</b>	<b>8</b>	
<b>8</b>	<b>Garden cricket set PVC</b>	<b>PVC make</b>	<b>1000</b>	
<b>9</b>	<b>Garden cricket balls</b>	<b>PVC make</b>	<b>1000</b>	
<b>10</b>	<b>Practice Ball PVC</b>	<b>PVC Pipe</b>	<b>1000</b>	
<b>11</b>	<b>Slanzer Praticce tennis balls</b>	<b>PVC Make</b>	<b>50</b>	
<b>12</b>	<b>Spring back cricket stumps</b>	<b>Wooden</b>	<b>10</b>	
<b>13</b>	<b>Bowlers run up mark</b>	<b>PVC make Round or trangle shaped mark.</b>	<b>100</b>	
<b>14</b>	<b>Cricket bats English willow</b>	<b>With spring handle</b>	<b>100</b>	
<b>15</b>	<b>Cricket ball leather</b>	<b>4Cup non polish</b>	<b>200</b>	
<b>16</b>	<b>Batting Pads</b>	<b>Light weight</b>	<b>50</b>	
<b>17</b>	<b>Keeping Pads</b>	<b>Light weight</b>	<b>20</b>	
<b>18</b>	<b>Keeping Gloves</b>	<b>Light weight</b>	<b>20</b>	
<b>19</b>	<b>Batting Gloves</b>	<b>Light weight</b>	<b>50</b>	
<b>20</b>	<b>Stumps</b>	<b>Wooden</b>	<b>1000</b>	
<b>21</b>	<b>Thigh Pads</b>	<b>Light weight</b>	<b>50</b>	
<b>22</b>	<b>Abdomen Guards</b>	<b>Plastic</b>	<b>50</b>	
<b>23</b>	<b>Thigh Pads Elbow Guards</b>	<b>Light Weight</b>	<b>50</b>	
<b>24</b>	<b>Helmets</b>	<b>With face guard grill fibre</b>	<b>50</b>	
<b>25</b>	<b>Cricket shoes</b>	<b>With rubber spikes</b>	<b>50</b>	
<b>26</b>	<b>Tennis cricket bats</b>	<b>Light weight</b>	<b>300</b>	
<b>27</b>	<b>Tennis cricket balls</b>	<b>Light weight</b>	<b>500</b>	

28	Pitch vision	Pastic cover with water proof	1	
29	Boundary Rope	Nylon 50mm thick	2	

## Hockey

S/ N	Item name	Specification / Make	Quantity	Delivery Period
1	Shin pads	Plastic with strips	1000	60 days
2	Hockey Stick	Fibre Glass , Composite	150	
3	Hockey Bag kit	Complete set	5	
4	Hokey goal posts movable	Movable Steel 2"x2" Square Pipe with Strong wood Back Board	6	
5	Team Shelters	Steel Make 6 Seated Shelter Top covered.	2	
6	Hockey balls	Leather & Synthetic	200	
7	Nets	Nylon	20	
8	Handball goal post	moveable	4	
9	Handballs		50	

## Lawn Tennis

S/ N	Item name	Specification / Make	Quantity	Delivery Period
1	Lawn Tennis ball machine	Electronic	1	60 days
2	Team Bench Shelter	steel make 6 seated shelter top covered.	1	
3	tennis Umpires chair Upman Horse 2	Metal Foldable steel with folding right arm pad support design	2	
4	Line judge chair	Koxton Steel Tube with foam Padded Seat	8	
5	Players bench	steel make 6 seated shelter top covered.	2	
6	Lawn tennis Posts Movable	"Movable Premium Steel Make 100 mm round pipe, fiber weight on wheels"	8	
7	Lawn tennis racket	yonex	50	
8	Nets	Nylon 3mm	20	
9	Lawn tennis balls		100	

## Machines & Electronic Equipments

S/ N	Item name	Specification / Make	Quantity	Delivery Period
1	Cricket bowling machine	99 mph 156kmph auto random delivery mode, adjustable line & length, 19 settings for swing spin pace.	1	60 days
2	Digital score board	All Weather	1	
3	Practicing cricket nets	2 Concrete 2 mud	4	
4	Score books for all games		50 each	
5	Officiating chair for volleyball	Steel make with foam padded leather.	3	
6	Cricket sight screen movable	All weather proof 20*14 ft high rotating movable on wheels	4	
7	Short put (brass Shot)	Men/Women	25 each	
8	Javelin Men/Women	Men/Women	30each	
9	Discuss	Men/Women	25each	
10	Hurdles	Men/Women	60	
11	Batons	Men/Women	50	
12	Starter	With nails	16	
13	Take off boards	wooden	10	
14	High jump matt	With cross bar	2	
15	Rods	iron	4	
16	sports shoes for all games	With rubber sole Size 5,6,7,8 and 9 for both boys and girls	100 for all games	
17	kho kho poles	100 mm steel pipe as per standard specification	4	
18	uniform for 14 sports activities & track suits	Slumination cloth	200 track suits 100 uniform for all games	
19	lime powder		200bags	
20	Mini Tractor	Diesel run	1	
21	lawnmowers	Electronic	5	

## Table Tennis

S/ N	Item name	Specification / Make	Quantity	Delivery Period
1	TT table	With wheels & levellers, Stag 1000DX	5	
2	TT balls	40mm, Stag	2000	
3	TT bats	With rubber, Stag	500	

4	TT nets	Nylon with stand	15
5	Carrom boards	3" Border width full size	20
6	Carrom Points	Plastic & wooden	30
7	Carrom powder	Carrom Powder	100boxes
8	Carrom & Chess Tables	2"x2" frame foldable	20
9	Chairs	iron make with foam padded .	20
10	Chess Boards	Wooden	50
11	Chess matts	Non torn material	50
12	Chess Clocks	Electronic	30

## Boxing Equipments

S/N	Item name	Specification / Make	Quantity	Delivery Period
1	Boxing ring	16 and 20 feet (4.9 and 6.1 m) to a side between the ropes with another 2 feet (0.61 m) outside. The platform of the ring is generally 3 to 4 feet (0.91 to 1.22 m) from the ground. The ring itself has around 1 inch (25 mm) of padding covered by stretched canvas.	1	
2	Boxing kits	leather	10	

## Gymnasium

S/N	Item name	Specification / Make	Quantity 2 Sets for Boys and Girls	Delivery Period
1	Treadmill	Display type :- Dot-matrix LED with profile display Ultimate™ Hard-Wax Reversible 1" deck Belt type Habisit, 2-ply commercial grade Running area 60" x 20" Cushion system Ultimate Deck™ Cushioning System Incline range 0-15% (1,300 lb thrust elevation motor) Speed range : 0.8- 20 km/h / 0.5 - 12 mph Contact HR/Telemetric HR sensors Matrix 4.2 hp AC Dynamic Response Drive System <sup>a</sup> Speed, Incline, Heart Rate, Time Elapsed, Time Remaining, Time of Day, Total Program Time, Pace, Average Pace, Distance (Miles), Distance (Kilometers), Calories, Calories per Hour, Watts, METs, Workout Profile Workouts: 12 programs Product weight : 172 kg / 378 lbs. Max. user weight : 182 kg / 400 lbs.	8	60 days
2	Elliptical Trainer	Display Type : 7" blue backlit LCD console display provides constant feedback	6	

		<p>Contact HR/Telemetric HR sensors  Electrical Requirements: Self-Powered  Handle Bar Type: Multi-position dual action and ergo-bend stationary  Display feedback : Time, Distance, Calories, Speed, Level, Watts, METs, Heart Rate, Workout Profile  Resistance System: JID hybrid generator  Resistance Range : 1-20  Workouts: 8 programs  Assembled Dimensions: 83" x 31" x 67" / 211 x 79 x 170 cm  Max. user weight : 182 kg / 400 lbs  Product Weight : 333 lbs / 151 kg</p>		
3	Upright Bike	<p>7" blue backlit LCD console display provides constant feedback  Contact HR/Telemetric HR sensors  Electrical Requirements: Self-Powered  Handle Bar Type: Full racing style with elbow support  Display feedback : Time, Distance, Calories, Speed, Level, Watts, METs, Heart Rate, Profile  Self-powered system provides cost-savings and freedom of placement within the facility  Resistance System: Brushless Generator  Resistance Range: 1-20  Workouts: 8 programs  Assembled Dimensions: 41.4" x 25.7" x 51.5" / 105cm x 65cm x 131cm</p>	2	
4	Recumbent Bike	<p>7" blue backlit LCD console display provides constant feedback  Contact HR/Telemetric HR sensors  Electrical Requirements: Self-Powered  Handle Bar Type: Full racing style with elbow support  Display feedback : Time, Distance, Calories, Speed, Level, Watts, METs, Heart Rate, Profile  Self-powered system provides cost-savings and freedom of placement within the facility  Resistance System: Brushless Generator  Resistance Range: 1-20  Workouts: 8 programs  Assembled Dimensions: 41.4" x 25.7" x 51.5" / 105cm x 65cm x 131cm</p>	3	
5	Rower	<p>Display type: Large LCD display  Telemetric HR sensors  Electrical Requirements: Battery powered LCD display  Handle Bar Type: Easy grip wooden handrail  Display feedback : Time, distance, calories, SPM(strokes per minute), strokes, heart rate, watts  Resistance System: Air resistance technology  Resistance levels: 12  Pedals : Fit-in with adjustable footband  Workouts: 3 programs  Assembled Dimensions: 269.2 x 50.8 x 101.6 cm / 106"x 20"x 40"</p>	1	
6	Climbmill	<p>Display Type : Dot-matrix LED with profile</p>	2	



		<p>display</p> <p>Step position software ensures the steps will lock at the lowest possible point for the user to easily step on and off the product</p> <p>Handle Bar Type: Ergonomically designed handrails and horn</p> <p>Display feedback : Time Elapsed, Time Remaining, Time of Day, Total Program Time, Total Steps, Floors Climbed, Calories, METs, Watts, Level, Heart Rate, SPM, Average SPM, Workout Profile</p> <p>Resistance System: ECB w/ flywheel</p> <p>Resistance Range: 1-25</p> <p>Oil-free ECB modular drive system for maintenance free performance and quiet operation</p> <p>Assembled Dimensions: 54.5"x 33.5"x 83.5" / 138 x 85 x 212 cm</p> <p>Max. user weight : 182 kg / 400 lbs</p> <p>Product Weight : 158 kg / 348 lbs. Shipping weight : 167 kg/ 368lbs.</p>		
7	Smith Machine	<p>Frame finish: Proprietary two-coat powder process</p> <p>Frame Color: Polarized Titanium</p> <p>Overall Dimensions: 80.5"L x 55.5"W x 90"H</p> <p>Total Weight: 297 lbs.</p>	1	
8	Converging Chest Press	<p>User adjustment range :- 4 user start OPTION</p> <p>Front placards Muscle call outs, machine specific stretching, start &amp; finish exercise illustrations, proper machine movements</p> <p>Weight stack guarding Full front and rear shields</p> <p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame finish Proprietary two-coat powder process</p> <p>Overall dimensions 139.3 x 134.7 x 167.1 cm / 54.9" x 53.0" x 65.8</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p> <p>Weight plate increments: 15 lbs (6.8 kg) &amp; 10 lbs (4.5 kg)</p> <p>Total stack weight : 230 lbs (104 kg)</p>	1	
9	Diverging Seated Row	<p>Adjustable Chest Pad &amp; Adjustable Seat</p> <p>Front placards Muscle call outs, machine specific stretching, start &amp; finish exercise illustrations, proper machine movements</p> <p>Weight stack guarding Full front and rear shields</p> <p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame finish Proprietary two-coat powder process</p> <p>Overall dimensions 137.8 x 99.4 x 167.1 cm / 54.2" x 39.1" x 65.8"</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p> <p>Weight plate increments: 15 lbs (6.8 kg) &amp; 10 lbs</p>	1	

		(4.5 kg) Total stack weight 230 lbs (104 kg)		
10	Seated Leg Curl	Range of Motion, Knee Pad & Ankle Pad Adjustments Front placards Muscle call outs, machine specific stretching, start & finish exercise illustrations, proper machine movements Weight stack guarding Full front and rear shields Internally lubricated cable transmission & fittings Machine anchoring locations Frame finish Proprietary two-coat powder process Overall dimensions 176.9 x 113.3 x 167.1 cm / 69.7" x 44.6" x 65.8" Incremental weight system: 5 lbs (2.3 kg) Weight plate increments: 15 lbs (6.8 kg) & 10 lbs (4.5 kg) Total stack weight: 200 lbs (91 kg)	1	
11	Leg Extension	Range of Motion adjustment & self-aligning tibia pad Front placards Muscle call outs, machine specific stretching, start & finish exercise illustrations, proper machine movements Weight stack guarding Full front and rear shields Internally lubricated cable transmission & fittings Machine anchoring locations Frame finish Proprietary two-coat powder process Overall dimensions 183.5 x 128.9 x 167.1 cm / 72.3" x 50.7" x 65.8" Incremental weight system: 5 lbs (2.3 kg) Weight plate increments: 15 lbs (6.8 kg) & 10 lbs (4.5 kg) Total stack weight: 230 lbs (104 kg)	1	
12	Converging Shoulder Press	Adjustable start position Front placards Muscle call outs, machine specific stretching Weight stack guarding Full front and rear shields Internally lubricated cable transmission & fittings Machine anchoring locations Frame finish Proprietary two-coat powder process Overall dimensions 171.0 x 143.7 x 203.6 cm / 67.3" x 56.6" x 80.1" Incremental weight system: 5 lbs (2.3 kg) Weight plate increments: 15 lbs (6.8 kg) & 10 lbs (4.5 kg) Total stack weight 230 lbs (104 kg)	1	
13	Leg press/calf press	Gas Assisted Foot Platform Adjustment Front placards Muscle call outs, machine specific stretching, start & finish exercise illustrations, proper machine movements Weight stack guarding Full front and rear shields	1	

		<p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame finish Proprietary two-coat powder process</p> <p>Overall dimensions 232.4 x 102.4 x 167.1 cm / 91.5" x 40.3" x 65.8"</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p> <p>Weight plate increments: 25 lbs (11 kg)</p> <p>Total stack weight : 415 lbs (188 kg)</p>		
14	Diverging Lat pulldown	<p>Adjustable knee pad</p> <p>Front placards Muscle call outs, machine specific stretching, start &amp; finish exercise illustrations, proper machine movements</p> <p>Weight stack guarding Full front and rear shields</p> <p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame color: Iced Silver</p> <p>Frame finish: Adjustable Knee Pad</p> <p>Overall dimensions 155.4 x 150.1 x 187.9 cm / 61.2" x 59.1" x 74.0"</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p> <p>Weight plate increments: 15 lbs (6.8 kg) &amp; 10 lbs (4.5 kg)</p> <p>Total stack weight :230 lbs (104 kg)</p>	1	
15	Abdominal	<p>Adjustable Rotating Pulley Start Position for Obliques</p> <p>Front placards Muscle call outs, machine specific stretching, start &amp; finish exercise illustrations, proper machine movements</p> <p>Weight stack guarding Full front and rear shields</p> <p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame finish Proprietary two-coat powder process</p> <p>Overall dimensions: 136.6 x 141.4 x 167.1 cm / 53.8" x 55.7" x 65.8"</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p> <p>Weight plate increments: 15 lbs (6.8 kg) &amp; 10 lbs (4.5 kg)</p> <p>Total stack weight: 230 lbs (104 kg)</p>	1	
16	Hip Abductor/Abductor	<p>Range of motion adjustment &amp; rotating knee pads</p> <p>Front placards Muscle call outs, machine specific stretching, start &amp; finish exercise illustrations, proper machine movements</p> <p>Weight stack guarding Full front and rear shields</p> <p>Internally lubricated cable transmission &amp; fittings</p> <p>Machine anchoring locations</p> <p>Frame finish Proprietary two-coat powder process</p> <p>Overall dimensions: 169.6 x 159.1 x 167.1 cm / 66.8" x 62.6" x 65.8"</p> <p>Incremental weight system: 5 lbs (2.3 kg)</p>	1	

		Weight plate increments: 15 lbs (6.8 kg) & 10 lbs (4.5 kg) Total stack weight : 230 lbs (104 kg)		
17	Pectoral Fly/Rear delt	Adjustable start position Front placards Muscle call outs, machine specific stretching, start & finish exercise illustrations, proper machine movements Weight stack guarding Full front and rear shields Internally lubricated cable transmission & fittings Machine anchoring locations Frame finish Proprietary two-coat powder process Overall dimensions 150.5 x 169.0 x 167.1 cm / 59.2" x 66.5" x 65.8" Incremental weight system: 5 lbs (2.3 kg) Weight plate increments: 15 lbs (6.8 kg) & 10 lbs (4.5 kg) Total stack weight 200 lbs (91 kg)	1	
18	Cable Crossover	Extra Large Internal Frame Tubing Magnetic & tethered Weight Pins Reinforced 15/16" flat Kevlar/urethane belt Transmission Solid cold-rolled steel plate, with Teflon inner bushings Assembled Dimensions: 377 x 110 x 230 cm / 148" x 43" x 91" Product Weight: 395 kg / 870 lbs. Weight Stacks 2 x 91 kg / 2 x 200 lbs.	1	
19	Preacher curl	Frame finish: Proprietary two-coat powder process Frame Color: Polarized Titanium Overall Dimensions: 61"L x 24"W x 19"H Total Weight: 90 lbs.	1	
20	Back Extension Bench	Extra Large Internal Frame Tubing Frame finish: Proprietary two-coat powder process Frame Color: Polarized Titanium Overall dimensions LxWxH: 128 x 74 x 86 cm / 50" x 29" x 34" Product Weight: 41 kg / 90 lbs. Max. Loading weight : 159 kg / 350 lbs.	1	
21	Multi Adjustable bench	Extra Large Internal Frame Tubing Frame finish : Proprietary two-coat powder process Assembled Dimensions:137 x 74 x 46 cm / 54" x 29" x 18" Product Weight : 50 kg / 110 lbs	1	
22	Olympic Flat Bench	Frame finish: Proprietary two-coat powder process Frame Color: Polarized Titanium Overall Dimensions: 70"L x 50"W x 80"H Total Weight: 174 lbs.	1	
23	Olympic Incline Bench	Frame finish: Proprietary two-coat powder process Frame Color: Polarized Titanium	1	

		Overall Dimensions: 70"L x 61"W x 54"H Total Weight: 150 lbs.		
24	Olympic bar (7 feet)	Diamond knurling provides a secure grip	1	
25	Olympic bar (4 feet)	Diamond knurling provides a secure grip	Olympic bar (4 feet)	
26	EZ Olympic bar (4 feet)	Diamond knurling provides a secure grip	1	

## Water sports & rescue

S/ N	Item name	Specification / Make	Quantity	Delivery Period
1	Speed boats	Imported	1	60 days
2	power boats to participate in races	Imported	1	
3	canoeing	canoe 18' (passenger capacity 5)	1	
4	kaya king	Model kayak (2 Seater)	1	
5	paddleboarding	Pedal boat (2 Seater)	1	
6	life jackets		1	

## Volley ball

S/ N	Item name	Specification / Make	Quantity	Approximate Cost 6.00Lacs
1	Movable Post	Movable 75 mm round steel pipe with telescopic system hight adjustment.	6	
2	Nets	Nylon 3mm	20	
3	Volley balls	Molded , PU Coated	100	
4	Kneecap	Padded	1000	

**(Tender opening format)**

Name of the firm: \_\_\_\_\_

Tender for supply of \_\_\_\_\_

NIT No: & Date: \_\_\_\_\_

Technical specification/ literature attached: - Yes/No

Valid tax clearance certificate attached: - Yes/ No

Registration/ Authorization Dealership/

Manufacturer certificate attached: - Yes/ No

Revenue stamp affixed: - Yes/ No

Rates covered with transparent tape: - Yes/ No

Bid document fee deposited: - Yes/ No

CDR/FDR/TDR enclosed: - Yes/ No.

Bid price in Indian Rupees: - Yes/ No

FOR Srinagar: - Yes/ No

Bid without correction/overwriting: - Yes/ No

Seal & Signature of the Supplier







